



P1

HEATSINK

MAT'L: 6063-T5 ALUMINUM (AAVID EXTRUSION #60840)
 FINISH: ANODIZE PER MIL-A-8625, TYPE II, CL 2, BLACK
 TYPICAL BREAKDOWN VOLTAGE > 300V

NOTES:

1. UNLESS OTHERWISE NOTED, ALL DIMENSIONS ARE IN INCHES.
2. BREAK ALL SHARP EDGES, DE-BURR & REMOVE LOOSE CHIPS.
3. MARK WITH CONTRASTING INK AS SHOWN, IF SPECIFIED BY PURCHASE ORDER.
4. THERMAL RATING: 2 °C/W
5. APPROXIMATE WEIGHT: 7.5 oz [213g]

TOLERANCES - UNLESS OTHERWISE SPECIFIED		TITLE: 10-PIN POWER DIP HEATSINK		MODEL: HS16	
.XX = ±.01 [.254]		SUBJECT: MECHANICAL DRAWING		REV: I	
.XXX = ±.005 [.127]		DRAWN BY: R.MOR		DATE: 03JAN14	
ANG. = ±5°		DCAL: 13497		FILENAME: HS16	
APEX MICROTECHNOLOGY		SIL: 1 OF 1		REV: I	